

## TECHNICAL DATA SHEET

# MINCLEAR SG36

### COMPOSITION

Sepiolite  
(Asbestos free)

### CHEMICAL COMPOSITION

Hydrous magnesium silicate

### PHYSICO-CHEMICAL PROPERTIES

	Typical Values <sup>1</sup>	Specifications <sup>2</sup>
Moisture (%)	6.5	max 10
Apparent density (g/l)	600	560 – 640
pH	8.8	
Water absorption <sup>3</sup> (%)	145	min 100
Oil absorption <sup>3</sup> (%)	85	min 75

### PARTICLE SIZE DISTRIBUTION BY DRY SIEVING

Nominal opening International ISO 565 (mm)	Typical Values <sup>1</sup>	Specifications <sup>2</sup>
> 0.85	0.0	max 0.5
0.15 – 0.85	99.7	min 98.5
< 0.15	0.3	max 1

<sup>1</sup>These data are an average analysis of our products.

<sup>2</sup>Applicable to the whole batch.

<sup>3</sup>According to Standard NF V 19-002